



Heat Exchanger Assembly with Dissimilar
Metal Connection Capacity
Inventor: Robert F. Dierbeck
Atty. Docket No. 1453-00050






Atty. Docket No. 1453-00050

FIG. 5

FIG. 5 is a perspective view of a rectangular block 6. The block has a top surface 34, side surfaces 26 and 28, and a bottom surface 60. A central circular opening 32 is located on the top surface. The top surface 34 is covered with a grid of rectangular protrusions 38. The side surfaces 26 and 28 are covered with a diamond-shaped pattern of protrusions 54. The bottom surface 60 is also covered with a diamond-shaped pattern of protrusions 54. A dashed line 44 indicates a cross-section of the block. A dashed line 36 indicates a cross-section of the top surface. A dashed line 46 indicates a cross-section of the side surface. A dashed line 30 indicates a cross-section of the bottom surface.



Heat Exchanger Assembly with Dissimilar
Metal Connection Capacity
Inventor: Robert F. Dierbeck
Atty. Docket No. 1453-00050





Heat Exchanger Assembly with Dissimilar



Metal Connection Capacity

Inventor: Robert F. Dierbeck

Atty. Docket No. 1453-00050





Atty. Docket No. 1453-00050





Atty. Docket No. 1453-00050

Heat Exchanger Assembly with Dissimilar
Metal Connection Capacity
Inventor: Robert F. Dierbeck
Atty. Docket No. 1453-00050



Atty. Docket No. 1453-00050






Heat Exchanger Assembly with Dissimilar

Metal Connection Capacity

Inventor: Robert F. Dierbeck

Atty. Docket No. 1453-00050





Atty. Docket No. 1453-00050

